Adhesive Tapes

Bopp Tape



Product Use: Bopp tape is used in sealing of cartoons and joins two materials.

Carton sealing, Shipping. Color adhesive tapes used in general purpose package, marks the different batches of goods, assigns different region and cargo by different color tapes for rapid sorting purpose, etc.Logo-printed tape used in turn your packages into creative and attractive advertising space, promote your brand or message on every box that goes out the door and communicate a call to action (Specials, website, promotions, Free Shipping, etc.) Warning and caution tapes or barricade tapes used in areas where afety and health hazards have been identified but are not immediately known or obvious to people who may enter the area.

Dimensions:

Thickness: 36 micron to 54 micron, Width: 12 mm to 96 mm, Length: 20 meter to 650 meters.

Customization:


Transparent, Color, Logo-printed, Warning

Industry:

Labeling and Lamination,
Packagers, Movers and Packers, Food
Packaging, Pharmaceutical Industries,
Fruit and Vegetable Packing,
Fisheries and Meat Industry

Paper Tape

Masking Tape



Product Use: Masking tape used in furniture, It is also used in painting and pictures framing.

Dimensions

Thickness: 0.130-0.015%. Width: 12 mm to 96 mm Length: 18 meter to 50 meter Customization: White, Black etc..

industry: All Industries, Wooden Industries, Furniture Industries, Painting etc.



Craft Paper Tape



Product Use: Kraft tape is used carton sealing, packing, silk screening, picture framing, freezer tape, leasing, splicing, and tabbing. It is also used for many industrial and commercial applications. The material is used in packaging operations for packing, wrapping individual items, bundling and void fill.

Thickness: 0.14 –10%, Width: 12 mm to 72 mm Length: 20 meter to 50 meter

Customization: Brown, Red, Blue, Yellow and Black, etc. Industry: Pharmacy Industries, Food Packaging



Printed Masking Tape



Product Use: Printed masking tape is excellent for use in internal and light-duty packaging applications. Our custom-printed masking tape is commonly used as a seal for to-go boxes and paper sandwich wraps. Custom widths and lengths are available to suit your business's needs.

Dimensions : Thickness : 0.130 -0.015% . Width : 12 mm to 96 mm

Length: 18 meter to 50 meter Customization: White, Black etc..

Industry: All Industries, Wooden Industries, Furniture Industries, Painting etc.



Product Use: Color Paper tapes used in general purpose package, marks the different batches of goods, assigns different region and cargo by different color tapes for rapid sorting purpose, etc.

Dimensions: Thickness: 36 micron to 54 micron,

Width: 12 mm to 96 mm,

Length: 20 meter to 650 meters

Customization: Brown, Red, Blue, Yellow and Black, etc. Industry: Labeling and Lamination, Comprising Packaging,

Pharmacy Industry, Food Packaging

Colour Paper Tape



PVC Insulation Tape



Product Use: It is used for insulation, protection, bundling, maintenance, color coding and many other applications

Thickness: 0.15 mm to 0.254 mm.

Width: 9mm to 50 mm.

Length: 7 meter to 33 meter.

Customization: Black, Red, Green, Yellow and Blue color Industry: Wire Harness and Electric Industries etc.



Product Use: It is used to tighten the seal on a pipe and it is so useful in plumbing situations. it is used to seal water, air, gas from leaking through threaded connections.

Thickness: 0.75 mm to 1 mm.

Width: 12 mm to 25 mm.

Length: 8 meter to 20 meter

Customization: Black, Blue, Green, Yellow.
Industry: Oil Industries, Food Industries, Plumbing, as Lines,

Steel Industries, etc.





Cloth Tape



Product Use: The tape is useful for various purposes such as bandages, sealing walls, electrical and plumbing tasks. The tape sticks to metal, glass, plastic and is easily torn by hand.

Dimensions:

Thickness: 0.5 mm to 0.21 mm.

Width: 24 mm to 96 mm.

Length: 7 meter to 25 meter.

Customization: Black, Blue, Brown, Green, Silver Grey, Red,

White, Yellow

Industry: Logistics, Electrical and Electronics, Healthcare, etc





Product Use: Aluminum foil tapes are used on seams and joints of fiberglass and aluminum backed duct board. Also used for general purpose holding, patching, sealing applications (indoor and outdoor).

nsions: Thickness: 0.08 mm to 110 mm.

width: 20 mm to 96 mm.

Length: 20 meter to 65 meter. Customization: Silver color.

Industry: Air Conditioningmarket, Construction

and Industrial Applications.

Aluminium Foil Tape



Tissue Tape



Product Use: It is used for lamination in automobile and appliances manufacturing, Splicing of films/paper/oils, lamination and fastening in paper/plastic and printing industries, etc..

Dimensions:

Thickness: 0.06 mm to 0.135 mm. Width: 20 mm to 72 mm. Length: 10 meter to 50 meter. Customization: Transparent and White.

Industry: Shoe and Leather Industry, Foam Industry,

Postal Service, Decoration, Foam Industry.



Product Use: used for several packaging functions such as closing corrugated fiberboard boxes, reinforcing packages, bundling items, pallet unitizing, etc. and securing products during shipment.

Thickness: 0.12 mm to 6.600 mm. Width: 24 mm to 96 mm.

Length: 20 meter to 60 meter. Customization: Clear, Natural.

Industry: logistics Industry, across aerospace, construction,

white goods, automotive, electrical Industries.





Duct Tape



Product Use: used for general sealing, patching holes, packing boxes and repairs. Some duct tape can also stick to rough, stone, plaster, brick and metal.

Dimensions:

Thickness: 30 micron to 180 micron.

Width: 20mm to 96mm.

Length: 15 meter to 60 meter.

Customization: Silver (Gray), Back, White, Yellow, School

Bus Yellow (Ochre), Sky Blue, etc..

Industry: Automotive Industry, Paper and Printing

Industry, Refrigeration Industry





Product Use:: It used to mark hazards, divide spaces, create aisles, or provide directions. Creating Safety Borders around Hazardous Equipment and Chemicals, Marking Routes for Vehicles and Foot Traffic.

Thickness: 0.8 mm to 2 mm. Width: 24 mm to 96 mm. Length: 10 meter to 35 meter.

mization : White, Yellow, Blue, Green, Zebra

Yellow-Black.


ustry: Hospitals, Warehouses, Factories, Fire Protection

Equipment, Construction, Electrical Industries.

Floor Marking Tape



Blue Heat Seam Seal Tape



Product Use: It is using a hot air taping machine and is used in various applications including outwear, industrial workwear, tents, waders, footwear and military garments. And complete protection from contamination of virus (Coronavirus).

Thickness: 110 micron to 190 micron.

Width: 20 mm to 72 mm.

Length: 10 meter to 200 meter.

Customization: Blue.

Industry: Industrial Work Wear, Tents, Waders, Footwear

and Military Garments.



Product Use: It is used for many different applications including Access Control, Records Integrity, Inventory, Shipping Integrity, Container Seals, Hazardous Materials Accountability, Computer security, law enforcement and consumer product protection.

Thickness: 0.055 mm to 10%.

Width: 18 mm to 96 mm. Length: 20 meter to 150 mm.


: Red, Black, Blue, Multi-color

Industry: Logistics Monitoring, Military, Banking and Aviation Security, Medical Packaging Seals.





Surface Protection Tape



Product Use: It is used for preventing the scratches of the surface, or safeguarding it from dust particles and similar particles in the air. Also, surface protection tape suitable to protect lacquered plates, glass, plastics and decorative laminates during mechanical processes, storage.

Dimensions

Thickness: 20 micron to 200 micron.

Width: 18 mm to 1500 mm.

Length: 20 meter to 100 meter Customization: White, Black,

Industry: Transportation and Electronics Industry.

Automotive, Metals, Nameplate.





Product Use: used for sound dampening, insulating, casketing, cushioning/padding, and sealing, and protect against dust, moisture, noise, impact, temperature fluctuations and vibrations. They are ideal to fill gaps, provide insulation, absorb sound, and protect surfaces.

Thickness: 1 mm to 25 mm. Width: 12 mm to 1000 mm. Length: 10 meter to 80 meter.

Customization: White, Black, Green, Blue, Yellow. Industry: Automotive Industry Medical Industries,

Construction, Electrical Industries.

Foam Tape



Adhesive Transpher Tape



Product Use: It is used for a variety of bonding and laminating applications; ranging from gaskets, graphics, and other lightweight materials to high bonding applications.

Dimensions: Thickness: 0.06 mm to 0.13 mm.

Width: 12 mm to 600 mm. Length: 5 meter to 60 meter.

Customization: Transparent, Brown, White, Yellow. Industry: Printing, Label and Splicing Industries. Aerospace Industry, Medical and Industrial Equipment, Automotive Industry and Electronic Markets.



Product Use: It is used to securely close boxes in a single strip. Our tape bonds instantly to corrugated cartons or box surfaces. Before closing corrugated fiberboard boxes, the tape is moistened with water. sions: Thickness: 0.1 mm to 10 mm.


Width: 20 mm to 100 mm. Length: 20 meter 600 meter.

Customization: Light Brown and White, Customization. Industry: Printing and Hardware Industries, Automotive Industry and Electronic Markets.





Pet/Polyster Tape



Product Use: It is used in high temperature masking. Commonly used in Powder Coating, Spray coating, Plating, Electroplating, Anodizing, and high temperature splicing. Removes cleanly after use.

Thickness: 0.1 mm to 1.50 mm. Width: 12 mm to 300 mm. Length: 10 meter to 60 meter.

Customization: White, Green, Yellow, Red, Blue. Industry: Graphic Arts Industries for Decorative Trim, Automotive Trim, Nameplates, Electric Industries.






Product Use: It is used for brightly reflects other peoples lights and warns them of your presence. The tape is often applied to work shirts, overalls, vests, jackets. vehicles to make them more visible in dim light, dull Visibility, and night.

Thickness: 0.01 mm to 1 mm.

Width: 12 mm to 100 mm. Length: 10 meter to 200 meter.

Customization: White, Yellow, Silver, Red, Green, Pink. **Industry:** Automotive Industy, Electric Industries

Retro Reflective Tape



Copper Foil Tape



Product Use: It is used for electro-static shielding, cable wrapping, and stained glass work. used to keep slugs and snails out of certain areas in gardens, potted plants, and trunks of fruit trees, and other trees and shrubs.

Dimensions: Thickness: 0.01 mm to 10 mm.

Width: 6 mm to 72 mm. Length: 10 meter to 7 meter

Customization: Brown, Golden color, Silver.

industry: Electronics industry, Electro-Engineering Industry.



Pendant into it is used for sealing of the mould in blade, yacht and aerospace industry, used in a wide temperature range and can stick to the surface of many kinds of tools and films. And used for many different types of polyethylene bags.

Thickness: 50 micron 100 micron. Width: 9 mm to 200 mm. Length: 20 meter to 200 meter.

Existent action: White, Black, Blue, Green, Red etc... moleculary Food Industry. Transportation Industry.





Gasket Tape



Product Use: It is used for Protect against dust, moisture, noise, impact, temperature fluctuations and vibrations. They are ideal to fill gaps, provide insulation, absorb sound, and protect surfaces. Silicone, fluorocarbon.

Thickness: 1 mm to 10 mm. Width: 10 mm to 100 mm.

Length: 5 meter to 30 meter. Customization : Black, White, Red, Brown.

industry : Signage & Construction Industries, Automotive Trim, Nameplates, Electric Industries





molust the It is used for sealing application in metallic roofing, double glazing, etc. This tope is used to seal dust, water and air purpose of sealing plastic, glass, metal, ceramic and concrete without leaving any residue.

Thickness: 0.25 mm to 5 mm.

Width: 10 mm to 800 mm.

Length : 5 meter to 50 meter.

minn Black, Grey, Brown, Blue, White Roofing, Construction, Automotive Industries, Refrigeration, Telecommunication, Railways, Engineering, Insulation Cladding Industries.

Butyl/Mastick Tape



Drip Tape



Product Use: Drip tape has been the product of choice for commercial farmers and backyard gardeners for years. It is economical and effective for watering long straight row crops. You can use drip tape above ground,

mulched or buried

Dimensions: Thickness: 0.2 mm to 0.10 mm

Width: 8 mm to 24 mm. Length: 10 meter to 50 meter Customization: Black, White

Industry: Landscape, Vegetable Garden, Cultivation

Agriculture Industries.



Product Use: It is used for seal, bond, and attach a wide variety of materials, including plastics, metals, and glass. They are used in many bonding applications, both indoor and outdoor, and are often selected as an alternative to liquid adhesives and mechanical fasteners due to their very high bond.

Thickness: 0.15 mm to 0.30 mm. Width: 12 mm to 200 mm. Length: 10 meter to 50 meter. **Customization: Red and White**

Industry: Electronics Industry, Construction Industry,

Engeering Industry.





Silicone Tape



Product Use: Silicone tape is extensively used in the aviation industry and by the military, as well as in boat rigging. It is extremely valuable as an electrical tape to bundle cable, as well as to weatherproof, insulate, and seal all types of electrical connections.

Thickness: 0.02 mm to 0.10 mm. Width: 12 mm to 72 mm. Length: 10 meter to 80 meter.

Customization: Transparent, Black, Red, Blue, Yellow,

Green etc..

Industry: Automobile, Electrical, Hardware, Healthware






Product Use: The tape has high adhesions and tensile which help in keeping joints well sealed. It is ideal for heavy carton sealing, Re - In forcing, Splicing, Bundling, Laminating, Strapping, FIBC industry product, FIBC bag jointing, For permanent applications mainly in preparing FIBC bag industry.

Thickness: 0.5 mm to 3 mm. Width: 24 mm to 1000 mm. Length: 10 meter to 60 meter. Customization: colors, printed Hdpe tapes. Industry: Carpet Backing,Ropes,Twine,Technical and Industry.

HDPE Tape



Strapping Rolls

PP Straping Roll



Product Use: It is used for carton closing, Bundling newspapers, timber and pipes, Bailing agricultural products, Bailing textiles, Sealing coils of steel or rolls of paper.

Dimensions: Thickness: 0.4 mm to 1.05 mm

Width: 9 mm to 32 mm.

Length: 1000 meter to 6000 meter.

Weight: 3 kg to 9 kg rolls

Customization: Dull white, Super white, Milky white,

Nv, Transparent, Colors, Printed.

Industry: Oil Industry, Labeling and Lamination, Comprising

Packaging, Pharmacy Industry, Food Packaging Types: Manual Grade and Machine Grade.



Product Use: It is used for heavy loads that require a high tension during handling, transport and storage. used primarily for bundling products together and securing pallet loads during transport and storage.

Dimensions: Thickness: 5 mm to 1.27mm.

Width: 10 mm to 19 mm.

Length: 2000 meter to 6400 meter.

Weight: 20 kg rolls

Customization: Colors, Printed and As

per customer requirement.

Industry: Automobile, Oil, Labeling and Lamination

Pharmacy, Food Packaging.

Types: Manual Grade and Machine Grade.





Steel Straping Roll



Product Use: It is used to bundle together durable steel coils, pavers and bricks, roll end binding, baling wire, and other metals. Helping to secure packaged glass to make sure that it stays locked in place, so no scratches, damages, or

breaks occur.

Dimensions: Thickness: 0.4 mm to 2.5 mm.

Width: 12 mm to 32 mm.

Length : As per customer requirement.

Weight: 1 kg to 50 kg rolls.

Customization: Brown, Silver, Coating, Printing.

Industry : Automobile Industry, Sheet Metal Manufacturers,

Pipes & Tubes, Industrial & Engineering Parts.

Types: Manual Grade and Machine Grade.





Product Use: It is used in bundling and securing products, landscaping, printing, baling, Use this strapping when securing heavy pallets, containers or for bundling industrial items.

Dimensions: Thickness: 0.4 mm to 5 mm.

Width: 2 mm to 32 mm.

Length : 300 meter 1000 meter. Weight : 9 kg to 25 kg roll

Customization: White and Multiple Colors, Printed. Industry: Agricultural and Boating Industries,


Automobiles, Chemical Industries

Types: Manual Grade and Machine Grade.

Cord Strap



Clips & Buckles



Product Use: It is used to bind straps together for pallets packing to seal in industries. It is used for heavy loads that require a high tension during handling, transport and storage. used primarily for bundling products together and securing pallet loads during transport. This buckle are widely used in mountaineering purposes or carrying heavy loads on the vehicles using rope or wires.

Dimensions:

Thickness: 1 mm to 3 mm. Width: 12 mm to 32 mm. Length: 1.25inch to 3inch.

Customization:

Silver, Coated. GI

Industry:

Agricultural and Boating Industries, Chemical Industries Automobile Industry, Oil Industry, Pharmacy Industry, Food Packaging.

SHRINK FILMS



Pvc Shrink Film



POF Shrink Film











BOPP Shrink Film

Product Use: It is used to protect and package a single product, or to bundle multiple products together. It is particularly favoured for packaging less rigid items such as foodstuff, stationery, cards and electronic items. This keeps the products clean and adds tamper resistance.

Dimensions:

Thickness: 18 micron to 200 micron. Width: 200 mm to 1000 mm. Length: 100 meter to 1500 meter

Customization:

Transparent, Printed, Colors.

Industry:

Pharmaceutical Industry,Food & Beverage Industry,Chemical Industry, Fertilizer,Tobacco,Automobile, Glass Industry.

Stretch Film



Product Use: It is used to wrap products on pallets and secure them to each other and with the pallet. Helping to reduce product loss, discourage load tampering, and reduce worker injury. used to wrap pallet loads. These films improve the overall quality of packaged food, beverages, chemicals and others by offering strong load protection and reducing time and cost incurred the packaging. Printed stretch film helps to improve load appearance, cuts pilferage and deters tampering. Further, these are printed with one's name, logo, shipping instructions, warnings and tamper evident messages. It is used to organize and identify pallets and products.

Dimensions:

Thickness: 17 micron to 52 micron. Width: 48 mm to 600 mm. Length: 300 meter to 1000 meter.

Customization:

Transparent, Colors, Printed etc..

Industry:

Chemical Industries Automobile Industry, Oil Industry, Pharmacy Industry, Food Packaging, Furniture.

HDPE Fabric Roll



Product Use: It is used in varied industrial processes in order to pack variegated products. this is used for in the packaging of sugar, fertilizers, and fine chemicals. The tape has high adhesions and tensile which help in keeping joints well sealed.

Dimensions: Thickness: Upto 51 micron.

Width: 4 inch to 32 Inch.

Length: Upto 40 meters

Customization: Colors, Printed Hdpe Rolls.. Industry: Carpet Backing, Ropes, Twine, Technical

and Industry.





Product Use: The corrugated paper rolls find application in several industries such as food processing, stationery, textiles and plastic companies, basically used to avoid breakage of delicate materials such as plates, glassware. ons : Thickness : 1 mm to 10 mm.

Gsm: 80 gsm to 250 gsm. Ply: 2 ply to 11 ply.

Width: 7 inch to 60 inch.

Length: 5 meter to 50 meter.

Customization: Brown, White, Coloured and Printed Industry: Food Products and Beverages, Paper Products, Electrical and Electronic Goods, Personal Care and Household Goods, Chemicals, Glassware and Ceramics, **Textile Good**

Corrugated Roll



Foil Bubble Insulation



Product Use: Bubble foil insulation can be put onto pipes, hot water heaters, studwalls, roofing, and basements. Foil insulation is best in instances where radiation heat is the main source for heat, used for applications in metal buildings, pole barns, basements, crawl spaces.

Dimensions

Thickness: 2 mm to 10 mm. Width: 12 mm to 200 mm. Length: 10 meter to 60 meter.

Customization: Blue, Green, Silver, Golden, Brown.

Industry: Construction Industry, Pipes & Tubes,

Industrial & Engineering Parts.





Product Use: It is used to pack fragile or easily breakable items. Protect Plants, used to protect consumer and industrial goods, which enhance the quality of packaging. used in cushioning items during shipment. nsions: Thickness: 180 gauge to 600 gauge.

Width: 1 meter to 3 meter.

Length: 100 meter to 1000 meter.

Weight: 2 kg to 6 kg roll.

on: Transparent, Pink, Blue, Red, Green, Brown. Industry: Automobile Industry, Oil Industry, Labeling and Lamination, Comprising Packaging, Pharmacy Industry,

Food Packaging.

Bubble Roll



PU Foam Sheet



Product Use: It is used in high resiliency flexible foam seating, rigid foam insulation panels, microcellular foam seals and gaskets, durable elastomeric wheels and tires, automotive suspension bushings, electrical potting compounds.

Dimensions: Thickness: 5 mm to 30 mm.
Width & Length: 3ft x 6ft to 7ft x 6ft.

Customization: : Black, White, Blue, Yellow etc.. Industry: Automotive Industry, Flame Lamination

Industry, Electric Industries



Product Use: It is used for architecture and construction, or packing, printing, and medical equipment. Architecture and construction –Corrugated sheets provide immense protection against storms and heavy winds.

Dimensions: Thickness: 2 mm to 55 mm. Width: 750 mm to 1200 mm.

Length: 1800 mm to 3050 mm.
Customization: Brown, Printed.


Industry: Food & Beverages, Paper Products, Electrical and Electronic Goods, Chemicals, Glassware and

Ceramics.

Corrugated Sheet



Thermocol Sheet



Product Use:: It is used as molded packing material for cushioning fragile items & insulation of building structures.


Dimensions:

Thickness: 5 mm to 100 mm, Width: 100 mm to 1000 mm. Length: 20 inch to 120 inch. Customization: White, Printed.

Industry: Construction, Fruits Industry, Pharmacy Industry, Food Packaging, Glass Industry.



Thermocol Boxes



Product Use: It is used as a packaging for fresh fruits, vegetables and seafood to protect these products during storage and transportation

Dimensions: Thickness: 5 mm to 40 mm. L X W X H: 180 mm x 122 mm x 144 mm OD 134mm x 80mm x 90mm ID to 690mm x 440mm x 332mm OD 580mm x 335mm

x 276mm ID

Customization: White, Printed.

Industry: Fruits Industry, Pharmacy Industry,

Food Packaging, Glass Industry



Product Use: It is used for everything from shipping to product displays, and although they start out brown they can be quickly be transformed with a wide variety of colors, designs, text, and graphics printed directly on the material.

ensions :: L x W x H : 3x3x3, 6 x 4 x 3.5,

16 x 12 x 12 to 18 x 18 x24 etc..

Board Grade (No. Of Ply): 2 ply to 11 ply.

Customization : Brown, White, Colors, Printed (as per req)

Industry: Food & Beverages, Paper Products, Electrical Industry, Chemicals, Glassware.





ESD Divider Box



Product Use: It is used in commercial, industrial, electronics and healthcare markets for storage, assembly, fabrication and distribution ... These dividable containers are ideal for use in commercial, industrial, electronics.

Dimensions

Thickness: 7 mm to 12 mm. Height: 1 inch to 10 inch. Length: 11 inch to 20 inch.

Customization: Black, Red, Yellow etc..

Industry: Commercial, Industrial, Electronics and Healthcare Markets for Storage, Assembly.



BUBBLE BAGS/ BUBBLE PACKETS




Product Use: It is used for packaging of fragile products such as electronic goods, pharmaceutical products, antiques and automobile parts among others. Also used for Spare Parts Packaging.

ons: Thickness: 25 micron to 220 micron.

Width: 1 meter to 2 meter. Length: 10 meter to 100 meter. Weight: 5 gram to 1000 gram roll.

Customization: Transparent, Black, Golden. Industry: Automotive Industry, Flame Lamination

Industry, Electric Industries etc.



Box Corner




Product Use: It is used for Picking up and putting down a heavy cardboard box is not easy. Manoeuvring the fingers underneath the box is the only way to ensure one has a full and steady grasp. The user can easily position their fingers within this yellow corner zone to grip the box.

Dimensions:

Thickness: 2 - 7 mm, Width: 30 - 85 mm, Length: 50 - 5000 mm Customization: Brown, colors.

Industry: Food & Beverages, Paper Products, Electrical and Electronic Goods, Chemicals, Glassware and Ceramics.

Pallets



Product Use: It is used for such items as bulk food products, bags of cement, and even for moving materials around factories.

Our pallet is suitable for food & beverage, chemical.

Dimensions:

 $W \ \& \ L: 5 \ ft \ x \ 6 \ ft \ or \ 1000 \ mm \ x \ 1200 \ mm \ .$ Entry type: 2 ways to 4 ways. Capacity: 100 kg to 1000 kg.

Customization :

Industry: Pharmaceutical, Food & Beverage Industry, Chemical Industry, Fertilizer, Tobacco, Automobile, Glass Industry

Plastic Industry Bags



Product Use: Liner bag is used for storing flour, sweetens, cereal and fertilizer.

This product is made employing the optimum quality material,
which is obtained from truthful retailers of market.
and used to make sacks for a number of
industrial uses like sand bags as well as for
packaging bulk coffee, rice and other dry foods.

Dimensions:

Thickness: As Per Customer Req Width: As Per Customer Req Length: As Per Customer Req Customization : white, colors, printed

Industry: Food & Beverages, Paper Products, Electrical and Electronic Goods, Chemicals, Glassware and Ceramics.